

Safety data sheet

according to Regulation (EC) No. 1907/2006

Schliessmann Schwäbisch Hall

Date: 28.09.2017

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Rebelein-Reagenz „ALKOHOL 2“ / Rebelein „Alcohol 2“
Article: 0012 f.
Chemical name: Nitric acid 65%
Registration number: See section 3 for substances contained in the mixture

1.2 Relevant identified uses of the substance or mixture and uses advised against

Reagent for the analysis of beverages

1.3 Details of the supplier of the safety data sheet

Company: C. Schliessmann Kellerei-Chemie GmbH & Co KG
Auwiesenstr. 5, D-74523 Schwäbisch Hall
Tel. 0049-(0)791 / 97191 -0, Fax -25
E-Mail: service@c-schliessmann.de

1.4 Emergency telephone number

Poison centre Freiburg: Tel. 0049-(0)761 / 19240

2. Hazards identification

2.1 Classification of the substance or mixture

Ox. Liq. 3 H272 May intensify fire; oxidiser.
Met. Corr. 1 H290 May be corrosive to metals.
Acute Tox. 3 H331 Toxic if inhaled.
Skin Corr. 1A H314 Causes severe skin burns and eye damage.

2.2 Label elements according to Regulation (EC) No 1272/2008

Hazard pictograms:



Signal word:

DANGER

Hazardous component:

nitric acid

Hazard statements:

| | |
|--------|--|
| H272 | Kann Brand verstärken; Oxidationsmittel. |
| H290 | May be corrosive to metals. |
| H331 | Giftig bei Einatmen. |
| H314 | Causes severe skin burns and eye damage. |
| EUH071 | Wirkt ätzend auf die Atemwege. |

Precautionary statements:

| | |
|----------------|--|
| P210 | Von Hitze, heißen Oberflächen, Funken, offenen Flammen sowie anderen Zündquellenarten fernhalten. Nicht rauchen. |
| P260 | Staub / Rauch / Gas / Nebel / Dampf / Aerosol nicht einatmen. |
| P280 | Wear protective gloves / protective clothing / eye protection / face protection. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P301+P330+P331 | IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. |

P309+P310

IF exposed or if you feel unwell: Call immediately a POISON CENTER or doctor/physician.

2.3 Other hazards

No informations available

3. Composition/information on ingredients

3.1 Substance

The product is a mixture.

3.2 Mixtures

Mixture of substances listed below with water.

Dangerous component:

nitric acid

EC Number:

231-714-2

CAS:

7697-37-2

Reg.nr.:

01-2119487297-23-xxxx

Classification:

Ox. Liq. 2 H272 May intensify fire; oxidiser.

Met. Corr. 1 H290 May be corrosive to metals.

Acute Tox. 3 H331 Toxic if inhaled.

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Content:

approx. 25 %

4. First aid measures

4.1 Description of first aid measures

After inhalation:

Supply fresh air.

After skin contact:

Wash with water and soap. Unless contact has been slight obtain medical attention.

After eye contact:

Rinse opened eye for 10 minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and drink 2 glasses of water. Do not induce vomiting (risk of perforation of the esophagus and the stomach). Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

After inhalation:

Mucosal irritations, cough, breathlessness. Risk of damages of mucous membranes.

After skin contact:

Severe burns under the formation of sloughs.

After eye contact:

Eye contact leads to corneal damage. Risk of blindness.

After swallowing:

Severe pain (risk of gastric perforation!), nausea, vomiting, diarrhoea.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5. Firefighting measures

5.0 Combustibility

The product is not combustible.

5.1 Suitable extinguishing agents

Adapted to the environmental fire. CO₂, powder or waterspray

5.2 Special hazards arising from the substance or mixture

Risk of hazardous vapours and toxic fumes in fire (sulphur oxides).

5.3 Advice for firefighters

Wear self-contained respiratory protective device.

Wear fully protective suit.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear appropriate protective clothing. Don't breathe aerosols and fumes.

6.2 Environmental precautions

Dilute with plenty of water. Do not allow to enter sewers/ground water or penetrate the soil.

6.3 Methods and material for containment and cleaning up

Neutralize spilled product cautiously with soda ash, mop up with plenty of water and run to waste. Clean site of spillage thoroughly

6.4 Reference to other sections

See Section 13 for disposal information.

7. Handling and storage

- 7.1 Precautions for safe handling** Avoid contact with skin and eyes. For dilution put the acid into the water, not the other way around.
- 7.2 Conditions for safe storage, including any incompatibilities** Keep well closed at 15-25°C, not in metal tins or containers.
- 7.3 Specific end use(s)** See section 1.2

8. Exposure controls/personal protection

8.1 Control parameters

WEL (Great Britain): Long-term value sulphuric acid: 0.05 mg/m³

8.2 Exposure controls

Personal protective equipment:

Respiratory protection:

Suitable respiratory equipment when vapours/aerosols are generated. Filter-type E (-P2)

Eye protection:

Safety glasses with side-shields or face-shield.

Skin protection:

Rubber or plastic gloves.

General hygiene considerations:

In accordance with good industrial hygiene and safety practices. Application of skin-protective barrier cream recommended. Wash hands after working with substance.

9. Physical and chemical properties

| | |
|-----------------------|-------------------------------|
| Physical state: | Liquid |
| Colour: | Colourless |
| Odour: | Odourless |
| pH-value: | <1 (20°C) |
| Melting temperature: | -22°C |
| Boiling temperature: | 103°C |
| Ignition temperature: | Not applicable |
| Flash point: | Not applicable |
| Danger of explosion: | No explosion hazard |
| Vapour pressure: | Not available. |
| Density: | 1,18 g/cm ³ (20°C) |
| Solubility in water: | Unlimited |

10. Stability and reactivity

- 10.1 Reactivity** Has a corrosive and oxidizing effect.
- 10.2 Chemical stability** No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions** Development of heat in contact with alkali. Exothermic dissolution process with water. Reacts with metals forming hydrogen (risk of explosion).
- 10.4 Conditions to avoid** Heating
- 10.5 Incompatible materials** Various metals
- 10.6 Hazardous decomposition products** In case of fire: see section 5.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity (sulphuric acid):

LD50 (oral, rat): 2140 mg/kg

Subacute/chronic toxicity:

No sensitizing effects known.

CMR effects:

Mutagenicity:

Ames-test and tests with animals didn't show mutagenic or teratogenic effects.

Carcinogenicity:

No classification as carcinogenic toxicant.

Reproductive toxicity: No classification as reproductive toxicant.

11.2 Further information See section 4 for symptoms after direct contact with the product

12. Ecological information

All Informations refer to:

| | |
|--|--|
| 12.1 Aquatic toxicity | sulphuric acid LC50 (96h) 16-29 mg/l (Lepomis macrochirus); damaging effect due to pH shift |
| 12.2 Persistence and degradability | Not applicable. |
| 12.3 Bioaccumulative potential | No further relevant information available. |
| 12.4 Mobility in soil | No further relevant information available. |
| 12.5 Results of PBT and vPvB assessment | Not applicable. |
| 12.6 Other adverse effects | No further relevant information available. |

13. Disposal considerations

Product must be disposed of as hazardous waste. Disposal according to official regulations. Little quantities may be rinsed away with plenty of water after careful neutralization with soda.

14. Transport information

14.1 UN-Number

ADR, IMDG, IATA: UN 2796

14.2 UN proper shipping name

ADR: 2796 SULPHURIC ACID
IMDG, IATA: SULPHURIC ACID

14.3 Transport hazard class(es)

ADR: Class 8 / Corrosive substances, Label 8
classification code C1
Transport category 2 / LQ22 / 1 L
IMDG: Class 8 / Corrosive substances, Label 8
EmS: F-A S-B
IATA: Class 8 / Corrosive substances, Label 8

14.4 Packing group

ADR, IMDG, IATA: II

14.5 Environmental hazards

Marine pollutant: No

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Information about limitation of use: Employment restrictions concerning juveniles must be observed.

Waterhazard class: 1 (slightly hazardous for water)

16. Other information

The informations provided on this SDS are correct to the best of our knowledge and information. These informations are designed as a guide for safe handling. They are no guarantee for specific characteristics of the product.