

TELEFAX

07 91-97191-25

*Wir begleiten
Ihre erfolgreiche
Getränkeherstellung*

**SCHLIESSMANN
SCHWÄBISCH HALL**

Telefon 07 91/9 71 91-0



Last update: 1/2018

Product Specification

Product: Silicon Antischaum (Antifoam) US, Art.-No. 5800-5804

Description:

- aqueous suspension of polydimethylsiloxane intended for food-related areas (defoaming of distilling mashes)
- appearance: milky-white, viscous liquid
- smell: weakly characteristic

Average analysis:

- density (g/ml, 20°C): 1
- active ingredient content(%): 20
- solids content (%): 23
- pH: 3,5 – 6,5
- viscosity (mPas): 18000

No food additive approval was requested for this product. Its use as a processing aid in the production process of foods implements separation e.g. preceded by distillation.

In contrast as direct food additive we recommend our registered product „**Silicon-Entschäumer E900**“.

Declarations:

The product „Silicon Antischaum US“

- is a synthetic processing aid, which is free of organic and therefore genetic material.
- does not contain any genetically modified (micro)organisms or parts of them and isn't produced with genetically modified (micro)organisms.
Its use for preparation of foodstuffs doesn't require any labelling according to the European regulations (EWG) 1829 and 1830/2003.
- is not admitted as processing aid for “organic” food. For this requirement vegetable oils should be tested for defoaming purposes.
- does not contain any of the materials with allergenic effects listed in Food Information Regulation No. 1169/2011, Annex II, in a concentration that requires labeling.
- For the product “Silicon Antischaum US” the supplier submitted a kosher certificate valid until 31.12.2017.

Declaration of compliance for the packaging materials:

The packaging materials used in direct contact with the product comply with the requirements of EU Regulations 10/2011 and 1935/2004 on food products.

Juliane Heller

-Assistant to the Management-

Schliessmann Kellerei-Chemie GmbH & Co KG · Auwiesenstrasse 5 · 74523 Schwäbisch Hall
Internet: www.c-schliessmann.de · E-mail: service@c-schliessmann.de